



## ADVANCED TEXT QA: INTERACTIVE COMMUNICATIONS FACSIMILE THROUGH ACCRETION PROPAGANDA

K. Sridharan, A. Angel Jessie Rani V. Preetha V. Archana,

Department of Information Technology,

Panimalar Engineering College

[angeljessierani@gmail.com](mailto:angeljessierani@gmail.com) [vivekpreetha93@gmail.com](mailto:vivekpreetha93@gmail.com)

### ABSTRACT

Interactive answers are playing a vital role to produce answers and thus enable general users to free out the information. Existing QA typically provide only in the form of text which are not useful adequate to user. In this project we suggest a system for inspiring textual answer with appropriate media data. Our system consists of three components Interpretation median picking, Inquiry propagation, Data pick and Launching. Interpretation median picking is used to select various types of answers. Inquiry propagation is used for extracting the root words from the given query. Data pick and Launching is used for selecting the appropriate answer and producing the result. We use Stemming algorithm, Naïve Bayes classifier algorithm and Ranking algorithms. We are enhancing community contributed answers. Any user who is unaware of data can get the information promptly. Our approach is to deal with the complex questions. Based on the generated queries, we vertically collect image and video data with multimedia search engines.

### 1. INTRODUCTION

QUESTION-ANSWERING (QA) is the method for answering a query in a simple English language [1]. It avoids the data contents that are vast in quantity which are displayed as links in search engines instead of getting the exact answers. In many cases the results are good which are selected by users. The information gainers are gaining the information for certain specific questions in any topic and get answers. The search engines are providing the answers in a simple and effectively understandable manner. The present procedure is only providing the answers with textual answers only. But it may not be sufficient and cannot easily understand and they can get the data easily. In fig 1: "How to make Orange juice concentrate?" It has given only textual answers for getting the information easily we are providing images and videos for any query. We are adding multimedia contents to the answers for getting the information. The automated approach cannot be obtaining result for the users. [2] Our aim is not straight forwardly displaying the answer instead ranked answers with

multimedia contents. Based on the query given the top ranked answer is been given.

Our idea is seen in solving the MMQA problem by combining the user and human. Fig2: The output of the media source is given as a proof for the better answer medium selection. For multimedia data selection and presentation we provide the image to change the text to whether it is related to the human-related. We are also searching for the cases where the textual answers are not present.




Figure 1: An example from Ask.com




Figure 2: An example of proposed system

## 2. PARALLEL EFFORT

### A. Towards Mixed Media QA Against Text File QA

They are mainly focused on the intelligent systems in certain domains. Based on the type of the questions and expected answers we are providing some sorts of QA into a. Open Domain QA, b. Restricted Domain QA [1], c. Definitional QA and d. List QA. In some cases automatic QA have difficulties in providing the answers for complex questions. For getting the technical knowledge any user can seek idea and opinions. [2]. the existing CQA system supports only textual answers which are not much informative. Some users give multimedia QA for getting the multimedia answer. The systems have text based QA technology support the factoid QA in the form of visuals of news videos and also in text. Several videos uses text transcript derived video OCR (Optical Character Recognition [4]. image based QA [7] are specially for viewing the objects [5]. The video based QA are given as media answers from YouTube. Instead of giving multimedia data we are providing the images and videos to enrich the textual answers for users. This idea is for deal in with many general questions to get better information.

### B. Ranking Interactive Media Quest

The latest media search engines are used to build the text information included with multimedia entities such as titles and text. But the text information has the content of images and videos and this is for decreasing the search performance [9]. Rearranging is the method that is used for visual information of images and videos.

Existing rearranging algorithms are mainly into two. They are one is pseudo relevance [10]. Feedback and the other is graph-based rearranging. The pseudo relevance feedback approach is for latest results that are relevant samples that are assumed as irrelevant. A ranking model is mainly on pseudo relevant and irrelevant samples that are used to rearrange the original output. It provides the relevance feedback for users to provide the feedback by the results that are relevant or irrelevant.

The graph based rearranging [9][11] is usually on two assumptions 1.the disagreement between the initial and refined ranking list.2. The ranking positions of similar samples are close. This approach

has a graph where the vertices are images and videos and the edges reflect their pair wise. A graph based learning process is then based on regularization framework. Conventional methods have measures based on colour, shape, texture. Here we categorize the queries into two classes person-related and non-person-related, and then we use the similarities for different features for the different query type.

### C. Perquisition About Interactive Media

The general problem is in finding the images from the databases. These are easily tackle the video and audio retrieval problems Multimedia search efforts can be categorized into two types .They are text-based search and content-based search. The text-based search has textual queries to get media data by matching the textual descriptions. Several media websites are accumulated in media entities in text based search. In the content based media retrieval, it analyzes the contents of media data than metadata. Instead the content based retrieval has some limitations such as high cost, difficulty in visual queries. Keyword based search are widely used in media search. The intrinsic have commercial media search engines for gap between the textual queries and multimedia data.

## 3. INTERPRETATION MEDIAN PICKING

The interpretation tells us whether textual is needed or image or video. For example “When did India became Republic” textual answer is sufficient, “Who is the vice chancellor of America” image answer is sufficient, “How to install Operating System” video answer is sufficient [8]. The selection of the answer is classified as a. Text b. Text + image c. Text + video d. Text + image + video.




Figure 3 Proposed Architecture

### A. Catechism Planted Categorizing

The answer is categorised into yes/no class “Are you coming for the party”, choice class “Do you like tea or coffee”, quantity class “When was the first super frame computer made”, enumeration class “Name of the oceans around India”, and description class “What are the ways to reach America”. Initially

exploit the method in [6] to get the informative word. We need only text answer for yes/no, choice and quantity class., for enumeration and description class text + image is sufficient; the verb is needed to answer with text + video or text + image + video. Based on the table 1 and 2 the classification is been made. We use naive Bayes classifier to get the appropriate answer.

**Table 1. Illustrative questioning words**

Illustrative words	Group
Be, there, have, when, will, can, how + adj /adv,Why, how, where, who, to, which, what	Text

**Table 2 Illustrative class precise associated words**

Grouping	Class Precise Associated Words
Text	number, religions, website, country, distance, speed, height, name, period, times, age, date ,rate, birthday, etc.,
Text + Image	band, photo, what is a, place, whom, surface, capital, largest, pictures, logo, who, image, look like, pet, clothes, image, appearance, symbol, figure, etc.,
Text + Video	recipe, differences, dance, first, said, music, how can, invented, story, how do, how to, ways, steps, film, tell, songs, music, etc.,

**B. Picking Established Depend on Populous Affirmation**

Medium selection is by four class classification model based on results of question based classification, answer based classification, and media resource analysis. Question based classification is of four scores the question is answered by “text;” text + image;” text + video” ;”text + image + video”. Answer based classification is of four types. The media resource analysis is of three scores which are for results of text, image and video search.

**C. Inquiry Procreation Pick And Launching**

Collecting the exact image and video data from the browser we are generating the queries from text QA pairs for performing multimedia search engines. We are using two steps. First is query extraction. well answer the questions. The average rating score is 1.266.

**D. Upon the enlightening of enhanced media data**

All the complementary media data are collected based on textual queries through which we are getting from QA pairs. In other say queries does not always reflect the original QA pairs. It cannot reflect these media data answers the original answer due to the gap between QA pair and generated query. It also checks to estimated whether the media data can answer the question. There are 3 score candidates 2, 1, 0.The 3 score candidates are the media sample can perfectly, partially and cannot answer the question

Textual questions and answers are usually complex sentences . We are extracting the keywords from the questions for querying. Second is the query selection. We generate different queries: one from question, one from answer, one from combination of both question and answer which is the most informative depends on QA pairs, “How did the moon look like” There are helpful keywords in the answer, “What is the symbol of currency” Combining the question and the answer to generate the efficient query, “Who is the first president of China” for each QA pair, we generate three queries. First converting the question to query keywords. Second we identify several key concepts which have major impact.. Thus we are combing the two queries that are generated from the question and answer. Hence there are three queries.The generated queries collect the images and videos from the Google images and video search engines respectively. Most of the search engines area text based indexing and lot of irrelevant data. We adopt the graph based rearranging method [8].

**4. OBSERVATION**

Here the empirical evaluation is the experimental settings such as data set and ground truth labelling. There are two types of evaluation. One is the local evaluation which is for effectiveness for the components such as answer medium selection, query generation, multimedia data selection and presentation. The other is the global evaluations which test the usefulness of the media data.

**Table 4 The Efficency Relating Of Question-Based Classification With Vairant Features.Here “Related” Means Class-Precise Associated Words**

Features\Testing set	Google	Picasa	Both
Trigram	81.42%	85.99%	83.91%
Trigram + Head	85.37%	88.78%	87.20%

**Table 5 The Efficiency Relating Of Answer-Based Classification With Variant Features**

Features\Testing set	Google	Picasa	Both
Trigram	67.37%	71.30%	69.42%
Trigram +Verb	69.76%	74.82%	72.41%

respectively. We by chance select 200 QA answer for enriched media data for appraisal. The results actually indicate that for as a minimum 80.29% question that exist enrich media data that can

**A. Upon the non appearance of textual quick fix**

In the future proposal, the existing community contributed textual answers plays an important role in the question understanding. So, here the question is whether the favour can deal with and perform when there are no textual answers so far. First we need to remove the informational clues from the textual answers in the answer medium selection and multimedia query generation mechanism. Here we additional examine the



- [5]. T.S.Chua,R.Hong,G.Li,and J.Tang,"From Text question-answering to multimedia QA on web-scale media resources," in Proc.ACM Workshop Large-scale Multimedia Retrieval and Mining,2009.
- [6]. A.Tamura, H.Takamura, andN.Okumara,"Classification of Multiple-sentence questions," in Proc.Int.Joint Conf.Natural Language Processing.2005.
- [7]. G. Li, H. Li, Z. Ming, R. Hong, S. Tang, and T. -S. Chua, "Question Answering over community contributed web video", IEEE Multimedia, vol. 17, No. 4, PP. 46-57, 2010.
- [8]. J. Zhang, R. Lee, and Y. J. Wang, "Support Vector Machine Classification for Microarray Expression Data set," In Proc. Int. Conf. Computational Intelligence and Multimedia Applications, 2003.
- [9]. X.Tian, L.Yang, J.Wang, Y.Yang, X.Wu, and X.S.Hua,"Bayaesian video search rearranging," in Proc.ACM Int.Conf.Multimtdia 2008.
- [10]. R.Yan, A.Hauptmann, and R.Jin,"Multimedia search with pseudo relevance feedback," in Proc.ACM Int.Conf.Image and video Retieval, 2003 QA sites,"in.Proc. Int.Conf.Human factors in computing systems, 2009.
- [11]. M. Wang, K. Yang, X. -S. Hua, and H. - J. Zhang, "Towards a relevant and diverse search of social images," IEEE Trans. Multimedia, Vol. 12, No. 8, PP. 829-842, 2010.